

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility/DBA: <u>CASA RAMOS</u>	Inspection Date: <u>12/15/21</u>
Address: <u>PAGE 2</u>	
Owner/Permittee: <u>PAGE 2</u>	

- Comments:
- 31) BELOW OR AWAY FROM READY TO EAT FOOD, OBSERVED RAW MEAT ABOVE SOUR CREAM IN PREP COOLER.
 - 32) ALL SPICE CONTAINERS & BULK FOOD STORAGE BINS MUST BE LABELED WITH THE COMMON NAME OF THE FOOD. OBSERVED UNLABELED SPICE CONTAINERS IN THE KITCHEN.
 - 33) CLEAN/SANITIZE/DEGREASE AROUND THE STOVE/FRYER AREAS. THIS AREA IS VERY GREASY/FILTHY.
 - 34) REPAIR THE WALK-IN DOOR, IT HAS FALLEN INTO DISREPAIR.
 - 35) REPAIR THE WALK-IN FREEZER DOOR PLUNGER ON THE INSIDE OF THE APPLIANCE.
 - 41) REPAIR THE LEAKY PLUMBING UNDER THE DISHWASHING SINK & UNDER THE HAND WASH SINK.
 - 44) REMOVE ALL THE BROKEN AND/OR UN-USED APPLIANCES STACKING UP BEHIND THE RESTAURANT. PEST HARBORAGES.
 - 45) REPAIR ALL THE BROKEN TILE, HOLES IN THE WALLS & CEILING, BROKEN OR MISSING TILE ON THE FLOORING AROUND THE ENTIRE FACILITY.
 - 45) CLEAN & SANITIZE THE WALK-IN FLOORING, IT IS ALL VERY FILTHY.

NOTE: THIS FOOD FACILITY HAS FALLEN INTO A STATE OF DISREPAIR AND MUST MAKE REPAIRS TO THE FACILITY IN ORDER TO STAY OPEN.

Received By: [Signature] REHS: ANDREW PEYO