



FOOD FACILITY INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988

Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility/ DBA: Double E Market	Inspection Date: 10/3/16
Address: PAGE 2	
Owner/Permitee: PAGE 2	
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code	

Comments:

OTHER VIOLATIONS (CONT.)

- 30 OBSERVED MILK & ICE ON THE FLOOR IN THE WALK-INS.
- 33 RE-FINISH WOOD SHELVING IN THE BACK STORE ROOM SO THAT IT IS A NON-ABSORBANT MATERIAL, EASILY CLEANABLE AND DURABLE. BARE WOOD IS NOT ALLOWED
- 35 REMOVE CARD BOARD THAT IS ATTACHED TO THE FRYER.
- 35 REPLACE NON-COMMERCIAL M-WAVE WITH COMMERCIAL GRADE, N.S.F. APPROVED APPLIANCE.
- 35 <sup>41</sup> ICE MACHINE INSTALLED AT THE BACK OF THE STORE REQUIRES F.R.P ALONG THE WALL AROUND THE APPLIANCE. ADDITIONALLY, INDIRECT DRAIN NEEDS TO BE INSTALLED WITH A PROPER AIR GAP.
- 35 REPAIR THE HANDLE ON THE BACK WALK-IN DOOR.
- 35 CLEAN & SANITIZE AROUND COMPRESSOR/CONDENSOR IN BACK WALK-IN. IT IS VERY DUSTY/DIRTY.
- 36 DISCONTINUE USING A CUP TO SCOOP SUGAR. ONLY USE SCOOPS THAT ARE N.S.F APPROVED W/ HANDLES.
- 41 REPAIR OUTSIDE WALK-IN DRAIN PIPES SO THEY DRAIN OVER WASTEWATER PIPES. THEY ARE MIS-ALIGNED AT THIS TIME.
- 42 MAINTAIN GARBAGE DUMPSTER LIDS CLOSED TO DISCOURAGE PESTS.
- 44 CLEAN UP ALL JUNK BEHIND STORE & CONTINUE TO SEAL UP PEST ENTRY POINTS INSIDE AT THE BACK OF THE STORE.

Received By:

X Tobel smy

REHS:

ANDREW A PERGO