



FOOD FACILITY INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988  
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility/ DBA: CASA RAMOS	Inspection Date: 8/24/16
Address: PAGE 2	
Owner/Permittee: PAGE 2	
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code	

Comments:

OTHER VIOLATIONS (CONT.):

- 32 IN KITCHEN THAT WAS UN-LABELED.
- 35 CLEAN/SANITIZE THE INSIDE OF THE ICE MACHINE IT WAS MOLDY INSIDE
- 35 CLEAN/SANITIZE THE INSIDE & OUTSIDE OF THE TRAWLSON FRIDGE.
- 35 CLEAN/SANITIZE THE BAR GUN, IT WAS MOLDY.
- 36 DISCONTINUE STORING COLD DRINKING GLASSES UP SIDE DOWN INSIDE THE FRIDGE. THE SHELVING INSIDE IS NOT CLEAN.
- 36 DO NOT STORE SCOOPS INSIDE FOOD STORAGE BINS & ONLY USE SCOOPS WITH HANDLES APPROVED FOR THIS USE.
- 40 MAINTAIN SANITIZER INSIDE WIPING RAG BUCKETS (100 PPM CHLORINE OR 200 PPM QUAT AMMONIUM). OBSERVED COOKS RAG BUCKET WITHOUT ANY SANITIZER.
- 45 CLEAN/SANITIZE/DE-GREASE THE KITCHEN WALL NEAR THE CRES COR HOT HOLDING CABINET. ADDITIONALLY, THE FAN & ALL H.V.A.C VENTS NEED TO BE CLEANED.
- 45 REPAIR TILE COVING COMING OFF OF THE WALL INSIDE THE WALK-IN FRIDGE.

Received By:

Shirley Arada

REHS:

Andrew P. Peto