

FOOD FACILITY INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2



Name of Facility/DBA: McDonald's	Inspection Date: 2/24/16
Address:	
Owner/Permittee: PAGE 2	
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code	

Comments:

OTHER VIOLATIONS (CONT.)

- 35 CLEAN & SANITIZE THE INSIDE OF THE M'CAFE MACHINE IT APPEARS STICKY & FILTHY.
- 35 CLEAN & SANITIZE THE SODA NOZZLES ON THE SODA MACHINES ON A REGULAR BASIS. ALL WERE GRIMY/FILTHY.
- 40 MAINTAIN PROPER SANITIZER IN WIPING RAG BUCKETS (100 PPM CHLORINE, 200 PPM QUAT AMMONIUM). FRONT RAG BUCKET MEASURED NON-DETECT FOR SANITIZER.
- 42 MAINTAIN GARBAGE DUMPSTER LIDS & GREASE BINS CLOSED AT ALL TIMES TO DISCOURAGE PESTS.
- 45 REPAIR ANY BROKEN OR MISSING COUING ON WALLS IN THE BACK OF THE STORE

NOTE: INSPECTION WAS ALSO IN RESPONSE TO CONSUMER COMPLAINT. G.C.E.H. DID NOT DESCRIBE CONDITIONS DESCRIBED BY COMPLAINANT.

Received By: 	REHS: 
--	--