

FOOD FACILITY INSPECTION REPORT
GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

247 North Villa Avenue, Willows, CA 95988
 Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <u>Buckaroo Bistro & Bargains</u>		Inspection Date: <u>3/31/16</u>	
Address: <u>1006 South St, Orland, CA 95963</u>		Reinspection Date (on or after): <u>Next Inspection</u> <small>(Reinspections are subject to fees)</small>	
Owner/Permittee: <u>Vera Adams</u>	Phone No.: <u>865-5119</u>	Inspection Time: <u>1:40 pm</u>	Permit Exp. Date:
Certified Food Handler: <u>Vera Adams</u>		Certificate Expiration Date: <u>12/31/16</u> <small>(Certificate expires five years after it is issued)</small>	
Service: <input checked="" type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law <u>CALIFORNIA RETAIL FOOD CODE ("CalCode"), Beginning with section 113700, California Health and Safety Code</u> (See reverse side of sheet for summary)			

In = In compliance			N/A = Not Applicable			N/O = Not Observed			Maj = Major violation			Out = Items not in compliance			COS = Corrected On Site					
Critical Risk Factors for Disease									Maj	Out	COS									
In			1.	Demonstration of knowledge								24.	Person in charge present and performs duties							
In			2.	Communicable disease restrictions								25.	Personal cleanliness and hair restraints							
In	N/O		3.	Discharge of eyes, nose, mouth								26.	Approved thawing methods used							
In	N/O		4.	Eating, tasting, drinking, tobacco use								27.	Food separated and protected							
In	N/O		5.	Hands clean & properly washed, glove use								28.	Washing fruits and vegetables							
In			6.	Handwashing facilities available								29.	Toxic substances properly identified, stored and used							
In	N/A	N/O	7.	Proper hot and cold food holding temps					X			30.	Food storage, 31. Self service, 32. Labeled							
In	N/A		8.	Time as a public health control, records								33.	Nonfood contact surfaces clean							
In	N/A	N/O	9.	Proper cooling methods								34.	Warewashing facilities maintained, test strips							
In	N/A	N/O	10.	Proper cooking time and temps								35.	Equipment, utensils, approved, clean good repair							
In	N/A	N/O	11.	Reheating temperature for hot holding								36.	Equipment, utensils and linens, storage and use							
In	N/A	N/O	12.	Returned and reservice of food								37.	Vending Machines							
In			13.	Food safe and unadulterated								38.	Adequate ventilation and lighting							
In	N/A	N/O	14.	Food contact surfaces clean and sanitized								39.	Thermometers provided and accurate							
In			15.	Food from approved source								40.	Wiping cloths properly used and stored							
In	N/A	N/O	16.	Shell stock tags, 17. Gulf Oyster regs								41.	Plumbing, proper backflow prevention		X					
In	N/A	N/O	18.	Compliance with HACCP plan								42.	Garbage properly disposed; facilities maintained		X					
In	N/A	N/O	19.	Advisory for raw/undercooked food								43.	Toilet facilities supplied, properly constructed, clean							
In	N/A		20.	Health care/ School prohibited food								44.	Premises clean, vermin proof; personal items separate							
In			21.	Hot & cold water. Temp: <u>124</u> °F								45.	Floors, walls and ceilings maintained and clean							
In			22.	Wastewater properly disposed								46.	No unapproved living or sleeping quarters							
In			23.	No rodents, insects, birds, animals					X			47.	Signs posted; Permit & inspection report available							
												48.	Plan Review Required							

No PHF []					
°F	Food	Location	°F	Food	Location
44	Milk	undercounter dessert cooler	34	Potato Salad	undercounter cooler beneath espresso machine
144	Chili	Soup well #1	140	Tip	Hot Holding unit
138	Tomato Soup	Soup well #2	41	Tip	Prep cooler

Comments:

7) Cold hold potentially hazardous foods at/below 41° F. Milk measured 44° F.

23) Clean the 20+ dry rodent droppings in space beneath soda syrup boxes. No evidence of active infestation observed.

70) Provide 100 ppm of free chlorine to table wiping towel bucket. Measured 0 ppm

71) Repair minor leak at drain pipe from left compartment of 3-compartment sink.

Received By: <u>Vera Adams</u>	REHS: <u>John H. Wells</u>
--------------------------------	----------------------------