

225 N. Tehama Street, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 1 of 1

Name of Facility/ DBA: TACO BELL		Inspection Date: 3/5/24	
Address: 1145 HOFF WAY, ORLAND, CA 95963		Reinspection Date (on or after): NEXT INSPECTION <small>(Reinspections are subject to fees)</small>	
Owner/Permitee: JANICE SUTHERLAND	Phone No.: 865-5615	Inspection Time: 10:00	Permit Exp. Date:
Certified Food Handler: MGR JEFFREY HILL		Certificate Expiration Date: 1/6/29 <small>(Certificate expires five years after it is issued)</small>	
Service: <input checked="" type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode"), Beginning with section 113700, California Health and Safety Code (See reverse side of sheet for summary)			

[illegible]

No PHF []			No PHF []		
°F	Food	Location	°F	Food	Location
36 104	CHEESE BEAN	PREP TABLE	35	GUACAMOLE	WALK IN FRIDGE
150	GROUND BEEF	PREP LINE STEAM TABLE			
155	HASH BROWNS	HOT CABINET			
164	RICE	HOT HOLDING CABINET			

Comments:

VIOLATIONS:

⑥ FACILITY CHANGES OR REMODELS REQUIRE PLAN CHECK WITH GLENN CO. ENVIRONMENTAL HEALTH. UNDER A PREVIOUS REMODEL THE FRONT HAND SINK WAS REMOVED. THIS SINK MUST BE REPLACED IN THE FRONT FOOD PREP. AREA

② THE FACILITY WATER HEATER IS PERFORMING STRANGELY.
HOT WATER OF AT LEAST 120°F IS REQUIRED AT WAREWASHING & PREP SINKS. REPAIR!

Received By:

REHS:

ANDREW A. FARGO