

FOOD FACILITY INSPECTION REPORT

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

247 North Villa Avenue, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 1 of 2

Name of Facility/ DBA: STARBUCKS #452		Inspection Date: 10/2/19	
Address: 505 N. HUMBOLDT AVE., WILLOWS, CA 95988		Reinspection Date (on or after): *NEXT INSPECTION <small>(Reinspections are subject to fees)</small>	
Owner/Permitee: STARBUCKS COFFEE COMPANY	Phone No.: 934-3844	Inspection Time: 2:30	Permit Exp. Date:
Certified Food Handler: JULISSA TRENADO		Certificate Expiration Date: 3/15/21 <small>(Certificate expires five years after it is issued)</small>	
Service: <input type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input checked="" type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode"), Beginning with section 113700, California Health and Safety Code (See reverse side of sheet for summary)			

In = In compliance		N/A = Not Applicable		N/O = Not Observed		Maj = Major violation		Out = Items not in compliance		COS = Corrected On Site	
Critical Risk Factors for Disease						Maj	Out	COS			
In									24. Person in charge present and performs duties	Out	COS
In									25. Personal cleanliness and hair restraints		
In	N/O								26. Approved thawing methods used		
In	N/O								27. Food separated and protected		
In		N/O							28. Washing fruits and vegetables		
In									29. Toxic substances properly identified, stored and used		
In	N/A	N/O				X	X		30. Food storage, 31. Self service, 32. Labeled		
In	N/A	N/O							33. Nonfood contact surfaces clean		
In	N/A	N/O							34. Warewashing facilities maintained, test strips		
In	N/A	N/O							35. Equipment, utensils, approved, clean good repair		
In	N/A	N/O							36. Equipment, utensils and linens, storage and use		
In	N/A	N/O							37. Vending Machines		
In									38. Adequate ventilation and lighting		
In	N/A	N/O							39. Thermometers provided and accurate		
In									40. Wiping cloths properly used and stored		
In	N/A	N/O							41. Plumbing, proper backflow prevention		
In	N/A	N/O							42. Garbage properly disposed; facilities maintained		
In	N/A	N/O							43. Toilet facilities supplied, properly constructed, clean		
In	N/A	N/O							44. Premises clean, vermin proof; personal items separate		
In									45. Floors, walls and ceilings maintained and clean		X
In									46. No unapproved living or sleeping quarters		
In						X	X		47. Signs posted; Permit & inspection report available		
									48. Plan Review Required		

No PHF []					
°F	Food	Location	°F	Food	Location
56	WHOLE MILK	INSIDE DELFIELD FRIDGE / BELOW COUNTER			

Comments:
**** INSPECTION IN RESPONSE TO CONSUMER COMPLAINT/ILLNESS.**
**** CRITICAL VIOLATIONS ****
(7) HOLD ALL POTENTIALLY HAZARDOUS FOOD AT/BELOW 41°F OR AT/ABOVE 135°F AT ALL TIMES. I MEASURED WHOLE MILK AT 56°F IN THE SMALL DELFIELD FRIDGE. 1 OPERATOR DISPOSED OF APPROX 1PT. OF MILK.
(23) KEEP FACILITY FREE OF ALL PESTS, VERMIN & INSECTS

Received By: *Julissa Trenado* REHS: *Andrew Peto*

FOOD FACILITY INSPECTION REPORT
Continuation Sheet
GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT
247 North Villa Avenue, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility/ DBA: <u>STARBUCKS #452</u>	Inspection Date: <u>10/2/19</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	
Applicable Law <i>CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code</i>	

Comments:

~~***CRITICAL VIOLATIONS***~~

(23) AT ALL TIMES. OBSERVED A MASSIVE AMOUNT (>20) FLIES IN THE FACILITY (LOBBY & KITCHEN AREAS); CONTACT PEST CONTROL IMMEDIATELY TO TAKE MITIGATION MEASURES.

OTHER VIOLATIONS

(6) THE HANDWASH SINKS MUST BE AVAILABLE AT ALL TIMES TO WASH HANDS. OBSERVED H. SINK IN BACK THAT WAS BLOCKED WITH A MOP BUCKET

(45) CLEAN & SANITIZE THE BACK FLOORING, IT WAS OBSERVED TO BE EXTREMELY FILTHY.

NOTE: DUE TO THE CONDITIONS DESCRIBED ABOVE G.C.E.H. WILL DEEM CONSUMER COMPLAINT PLAUSIBLE. THIS FACILITY WILL NEED TO CORRECT VIOLATIONS TO AVOID FURTHER ACTION BY GLENN CO. ENVIRONMENTAL HEALTH.

Received By: <u>Juliana for</u>	REHS: <u>Andrew P. Peryo</u>
---------------------------------	------------------------------