

# FOOD FACILITY INSPECTION REPORT

## GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988  
Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <u>Willows Travel Plaza</u>		Inspection Date: <u>2/27/23</u>	
Address: <u>1481 Hwy 99w Willow CA</u>		Reinspection Date (on or after): <u>Next inspection</u> <small>(Reinspections are subject to fees)</small>	
Owner/Permitee: <u>Rafiah Patel</u>	Phone No.:	Inspection Time: <u>2:15</u>	Permit Exp. Date:
Certified Food Handler: <u>Steven Campbell</u>		Certificate Expiration Date: <u>2/03/22</u> <small>(Certificate expires five years after it is issued)</small>	
Service: <input type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law <i>CALIFORNIA RETAIL FOOD CODE</i> ("CalCode), Beginning with section 113700, California Health and Safety Code (See reverse side of sheet for summary)			

In = In compliance		N/A = Not Applicable		N/O = Not Observed		Maj = Major violation		Out = Items not in compliance		COS = Corrected On Site	
Critical Risk Factors for Disease						Maj	Out	COS			
In							X		24. Person in charge present and performs duties		
In									25. Personal cleanliness and hair restraints		
In	N/O								26. Approved thawing methods used		
In	N/O								27. Food separated and protected		
In	N/O								28. Washing fruits and vegetables		
In						X			29. Toxic substances properly identified, stored and used		
In	N/A	N/O							30. Food storage, 31. Self service, 32. Labeled		
In	N/A	N/O							33. Nonfood contact surfaces clean		
In	N/A	N/O							34. Warewashing facilities maintained, test strips		X
In	N/A	N/O							35. Equipment, utensils, approved, clean good repair		
In	N/A	N/O							36. Equipment, utensils and linens, storage and use		
In	N/A	N/O							37. Vending Machines		
In									38. Adequate ventilation and lighting		
In	N/A	N/O							39. Thermometers provided and accurate		
In	N/A	N/O							40. Wiping cloths properly used and stored		
In	N/A	N/O							41. Plumbing, proper backflow prevention		X
In	N/A	N/O							42. Garbage properly disposed; facilities maintained		
In	N/A	N/O							43. Toilet facilities supplied, properly constructed, clean		X
In	N/A								44. Premises clean, vermin proof; personal items separate		
In									45. Floors, walls and ceilings maintained and clean		
In									46. No unapproved living or sleeping quarters		
In									47. Signs posted; Permit & inspection report available		
In									48. Plan Review Required		

No PHF [ ]					
°F	Food	Location	°F	Food	Location
146	Pizza	Pizza hot holding			
162	Potato wedge	<del>Potato wedge</del> self serve hot potato wedges holding			
210	Milk	reach in door #1			

Comments:

a) Hot water temp noted at 57°F ~~in~~ the men's restroom / provide water at 100°F at hand wash sink in men's restroom.

b) Mechanical ventilation system noted to be in disrepair in women's restroom. / Repair or replace.

c) Hot water temp noted at 59°F in the women's restroom. / Fix.

Received By: RJ [Signature]      REHS: Jay Bhakta

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988  
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility / DBA: <u>Willows Travel Plaza</u>	Inspection Date: <u>2/27/23</u>
Address: <u>1481 Hwy 99w Willows, CA</u>	
Owner/Permitee: <u>Rajesh Patel</u>	

Comments:

3) Test strips at 3 comp sink noted to be lacking / Provide appropriate test strips for sanitizing solutions.

4) Floor sink observed to be heavily soiled. / Clean and maintain.

1) Food safety cert. for manager was observed to be expired. / Provide new certification within 60 days

Received By: <u>RJ Martello</u>	REHS: <u>Jay Bhakta</u>
---------------------------------	-------------------------