

**FOOD FACILITY INSPECTION REPORT**  
**GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT**

225 N. Tehama Street, Willows, CA 95988  
 Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <b>BUDS AM/PM MINI MART</b>	Inspection Date: <b>5/3/23</b>
Address: <b>1399 W. WOOD ST. WILLOWS CA</b>	Reinspection Date (on or after): <i>next inspection</i> <small>(Reinspections are subject to fees)</small>
Owner/Permitee: <b>Russel Morgan Inc.</b>	Phone No.: _____
Certified Food Handler: <b>Jeffery Pearson</b>	Inspection Time: <b>10:15 AM</b>
	Permit Exp. Date: _____
Service: <input type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other: _____	Certificate Expiration Date: <b>9/30/26</b> <small>(Certificate expires five years after it is issued)</small>
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode"), Beginning with section 113700, California Health and Safety Code (See reverse side of sheet for summary)	

In = In compliance	N/A = Not Applicable	N/O = Not Observed	Maj = Major violation	Out = Items not in compliance	COS = Corrected On Site
<b>Critical Risk Factors for Disease</b>					
<input checked="" type="checkbox"/> In			<input type="checkbox"/> Maj	<input type="checkbox"/> Out	<input type="checkbox"/> COS
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In	N/O				
<input checked="" type="checkbox"/> In	N/O				
<input checked="" type="checkbox"/> In	N/O				
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A				
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In	N/A	N/O			
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In			X		
<input checked="" type="checkbox"/> In					X
<input checked="" type="checkbox"/> In					
<input checked="" type="checkbox"/> In					

No PHF [ ]					
°F	Food	Location	°F	Food	Location
178	Spicy hot Dog	hot dog/sandwich Display warmer			
40	Diced onions	Display condiment unit			
41	Crystal milk	Reach in DOOR of walk-in			
41	Beef burrito	Display 2-DOOR reach in			

Comments:

2) Hot water noted at 119°F at three compartment sink. Repair unit as to hot water flow is tempered at 120°F.

45 coving observed to be lacking next to walk-in cooler door. Repair or replace.

Received By: *Randy Bailey*      REHS: *Jay Bhakta*