

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

225 N. Tehama Street, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility / DBA: <u>BLUE PLATE SPECIAL</u>	Inspection Date: <u>8/30/23</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	

Comments:

CRITICAL VIOLATIONS

(14) KEEP CHEMICAL TEST STRIPS TO CHECK LEVELS

OTHER VIOLATIONS

(29) STORE ALL RAW P.H.F. BELOW OR AWAY FROM ANY READY TO EAT FOODS. OBSERVED RAW STEAK ABOVE COLD CUTS

(35) RE-ATTACH THE HAND WASH SINK TO THE WALL IN THE KITCHEN.

(35) REPAIR THE HANDLE ON THE 3-COMP SINK IN THE DISH ROOM

(35) REPLACE THE CHEST FREEZERS THAT ARE OLD AND IN DIS-REPAIR.

(35) REPAIR THE LIGHTING INSIDE THE REFRIGERATION UNITS IN THE BACK STORAGE ROOM.



(35) REPAIR THE RUBBER SEALS ON ALL REFRIGERATION EQUIPMENT.

(36) DISCONTINUE STORING THE ICE SCOOP ON TOP OF THE ICE MACHINE. USE A CONTAINER.

(36) DO NOT STORE DRINKING GLASSES UP SIDE DOWN UNLESS ON A TRAY. (COS) (AP)

(38) PROVIDE A LIGHT SHIELD ON THE KITCHEN LIGHTS NEAR HAND SINK.

(41) PROVIDE A BACK FLOW PREVENTION DEVICE ON THE MOP SINK.

Received By: 	REHS: 
--------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------