



**FOOD FACILITY INSPECTION REPORT**  
**Continuation Sheet**  
**GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT**  
257 North Villa Avenue, Willows, CA 95988  
Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/DBA: <u>PAPA MURPHY'S</u>	Inspection Date: <u>12/15/16</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	
Applicable Law <i>CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code</i>	

Comments: OTHER VIOLATIONS (CONT.):

35 REPAIR LEAKY DEFIED PREP COOLER AT THE FRONT OF THE STORE. APPLIANCE WAS OBSERVED LEAKING INSIDE INTO PLASTIC BOWLS.

36 USE ONLY SCOOPS WITH HANDLES FOR DISPENSING DRIED GOODS FROM STORAGE BINS. DO NOT STORE UTENSILS INSIDE THESE BINS. NOBBERVED PASTIC BOWLS INSIDE FLOUR BINS

41 REPAIR BROKEN DRAIN PIPE FROM THE WATER HEATER THAT RUNS TO THE MOP SINK.

Received By: Karen J. [Signature] REHS: Andrew A. [Signature]