

COUNTY OF GLENN

Department of General Services- Facilities 453 E. County Road 49 ½ Willows, CA 95988 Phone: 530-934-6545

<u>Facilities2@countyofglenn.net</u> www.countyofglenn.net

SCOTT H. DEMOSS

County Administrative Officer 525 W. Sycamore St. Suite B1 Willows, CA 95988 Phone: 530-934-6400 Fax: 530-934-6419

Fax: 530-934-6419 gcboard@countyofglenn.net

Addendum #1

Solicitation Description: Willows Memorial Park Accessibility and Beautification Project

Solicitation Opening Date, Time: Friday, August 18, 2023 at 11:00 a.m.

Location: Glenn County Clerk of the Board

525 W. Sycamore St. Willows, CA 95988

Addendum Number: 001

Addendum Date: Tuesday, August 15, 2023

Contract: Joe Bettencourt, Supervising Staff Services Analyst- General Services

Ricardo Valdez, Facilities Operation Manager- General Services

Facilities2@countyofglenn.net, (530) 934-6545

Return one properly executed copy of this addendum with bid response or prior to the Bid Opening Date/Time listed above.

Modification 1: Specification section 87-1.03E on page ES-3 is deleted in its entirety and replaced with the below language.

87-1.03E Excavation and Backfilling for Electrical Systems. Excavation for foundation can be accomplished by use of machinery (backhoe, auger, hydro excavator etc.) or hand dug, until clear of obstructions. Contractor shall verify through Dig Alert (811) and visual inspection that there is no existing underground utility structure.

Modification 2: DWG. No. CD-2 (Sheet 23 of 26), Detail 2, General Notes, D. of the Plans is modified as follows:

All tubular steel fencing, railing and components shall be SCH 40 galvanized steel pipe.galvanized steel pipe with a minimum of 11 gauge wall thickness.

This addendum has been emailed to interested vendors as well as posted here: http://www.countvofglenn.net/govt/bids

Failure to acknowledge receipt of this addendum may result in rejection of the response.