

FOOD FACILITY INSPECTION REPORT
GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988
 Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <u>Mill Street School</u>		Inspection Date: <u>10/24/14</u>	
Address: <u>102 Second St, Orland, CA 95963</u>		Reinspection Date (on or after): <u>Next Inspection</u> <small>(Reinspections are subject to fees)</small>	
Owner/Permittee: <u>Orland Unified School District</u>	Phone No.: <u>865-1240 x551</u>	Inspection Time: <u>11:10 am</u>	Permit Exp. Date:
Certified Food Handler: <u>Valerie Logan</u>		Certificate Expiration Date: <u>3/9/10</u> <small>(Certificate expires five years after it is issued)</small>	
Service: <input checked="" type="checkbox"/> Routine Inspection <input type="checkbox"/> Reinspection <input type="checkbox"/> Complaint <input type="checkbox"/> Construction/Pre-opening <input type="checkbox"/> Other:			
Applicable Law <u>CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code</u> (See reverse side of sheet for summary)			

In = In compliance		N/A = Not Applicable		N/O = Not Observed		Maj = Major violation		Out = Items not in compliance		COS = Corrected On Site	
Critical Risk Factors for Disease						Maj	Out	COS		Out	COS
In									24. Person in charge present and performs duties		
In									25. Personal cleanliness and hair restraints		
In	N/O								26. Approved thawing methods used		
In	N/O								27. Food separated and protected		
In	N/O								28. Washing fruits and vegetables		
In									29. Toxic substances properly identified, stored and used		
In	N/A	N/O							30. Food storage, 31. Self service, 32. Labeled		
In	N/A	N/O							33. Nonfood contact surfaces clean		
In	N/A	N/O							34. Warewashing facilities maintained, test strips		
In	N/A	N/O							35. Equipment, utensils, approved, clean good repair		
In	N/A	N/O							36. Equipment, utensils and linens, storage and use		
In	N/A	N/O							37. Vending Machines		
In									38. Adequate ventilation and lighting		
In	N/A	N/O							39. Thermometers provided and accurate		
In	N/A	N/O							40. Wiping cloths properly used and stored		
In	N/A	N/O							41. Plumbing, proper backflow prevention		
In	N/A	N/O							42. Garbage properly disposed; facilities maintained		
In	N/A	N/O							43. Toilet facilities supplied, properly constructed, clean		
In	N/A								44. Premises clean, vermin proof; personal items separate		X
In							X		45. Floors, walls and ceilings maintained and clean		
In									46. No unapproved living or sleeping quarters		
In									47. Signs posted; Permit & inspection report available		
In									48. Plan Review Required		

No PHF []					
°F	Food	Location	°F	Food	Location
148	Sheppard's Pie	out of oven, measured by operator & returned to oven for further cooking to 155°F.			
144	Sheppard's Pie	Metro warmer			
41	Milk	walk-in cooler			
35	Milk	Milk cooler			

Comments:
contact the following:

2) Provide warm water of 100° - 108° F to both restroom handwash sinks. Sinks had cold water only.

13) Provide light to left restroom. Light does not turn on.

Received By: Nicky Francis REHS: John H. Wells