

OFFICIAL INSPECTION REPORT

Continuation Sheet

GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT

257 North Villa Avenue, Willows, CA 95988
Phone (530) 934-6102 FAX (530) 934-6103

Page 2 of 2

Name of Facility/DBA: <u>WILLOWS TRAVEL CENTER</u>	Inspection Date: <u>9/30/13</u>
Address: <u>PAGE 2</u>	
Owner/Permitee: <u>PAGE 2</u>	

Comments: CORRECT THE FOLLOWING (CONT.):

35 CAPPUCCINO MACHINE.

36 SECURE ALL PRESSURIZED CANISTERS TO AN IMMOBILE SURFACE.
(I.E. CHAINED / BUNGEE'D TO WALL)

38 ALL LIGHTING IN FOOD PREP AREAS MUST HAVE LIGHT SHIELDS OR SHATTER PROOF BULBS. LIGHT COVER BALLAST WAS MISSING IN BACK PREP AREA.

45 SEAL ALL F.R.P. BACK PANELS TO THE WALL IN THE FOOD PREP AREAS

Received By: <u>D. Talley</u>	REHS: <u>ANDREW A. PETYO</u>
-------------------------------	------------------------------