

FOOD FACILITY INSPECTION REPORT
Continuation Sheet
GLENN COUNTY ENVIRONMENTAL HEALTH DEPARTMENT
 247 North Villa Avenue, Willows, CA 95988
 Phone (530) 934-6102 FAX (530) 934-6103

Name of Facility/ DBA: <u>DOUBLE EE MARKET</u>	Inspection Date: <u>2/26/19</u>
Address: <u>PAGE 2</u>	
Owner/Permittee: <u>PAGE 2</u>	
Applicable Law CALIFORNIA RETAIL FOOD CODE ("CalCode), Beginning with section 113700, California Health and Safety Code	

Comments: VIOLATIONS (CONT.)

- (35) GRADE, N.S.F. APPROVED & HEALTH DEPT. APPROVED APPLIANCES. I OBSERVED BULK OSTER DOMESTIC MICROWAVE.
- (35) CLEAN & SANITIZE THE SODA MACHINE NOZZLES ON A REGULAR BASIS, THEY ARE REALLY MOLDY.
- (35) DEFROST OR CLEAN WALK-IN FREEZER. LARGE ICE HAS FORMED AND ARE A HAZARD. REPEAT VIOLATION!
- (36) ALL PRESSURIZED CYLINDERS MUST BE SECURED TO AN IMMOBILE SURFACE. I OBSERVED UN-CHAINED CO₂ AGAINST FAR WALL. REPEAT VIOLATION!
- (38) PROVIDE LIGHT SHIELDS OR SHATTER PROOF BULBS OVER THE FRYER AREA.
- (43) CLEAN & SANITIZE THE FILTHY EMPLOYEE RESTROOMS REPEAT VIOLATION!
- (45) REPAIR CEILING & WALLS IN THE BACK ROOM OF THE MARKET. THE CEILING IS IN BAD SHAPE.
- (45) ~~REPAIR~~ INSTALL BASE COUING ON WALL ADJACENT TO THE ICE MACHINE. REPEAT VIOLATION.

NOTE: CORRECT ALL REPEAT VIOLATIONS TO AVOID RE-INSPECTION FEES OR MORE ENFORCEMENT ACTIONS.

Received By: <u>[Signature]</u>	REHS: <u>ANDREW PERRY</u>
---------------------------------	---------------------------